Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	5627	(document with (retriev\$5 or manag\$5)) and ((securit\$5 or approv\$5) with (code or information or data or passcode or password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:23
L14	2429	12 and ((output\$5 or print\$5) with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:23
L23	22208	print\$5 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:02
L24	68	23 and ((receiv\$5 or input\$5) with file with path) and ((receiv\$5 or input\$5) with filename or (file near2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:08
L25	8	24 and ((discover\$5 or determin\$5 or detect\$5 or analy\$5 or check\$5) near5 (file near2 (format\$5 or type or extension)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:10
L26	85	23 and (print\$5 with request\$5) and ((receiv\$5 or input\$5) with (file with (location or path or pathname))) and ((receiv\$5 or input\$5) with filename or (file near2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:10
L27	14	26 and ((discover\$5 or determin\$5 or detect\$5 or analy\$5 or check\$5) near5 (file near2 (format\$5 or type or extension or content)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:17
L35	4115	(print\$5 with (file or document)) and (print\$5 near5 (ready or compatib\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:42
L36	263	35 and ((file or document) with (input\$5 or receiv\$5) with (path or location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:23
L37	65	36 and ((discover\$5 or determin\$5 or detect\$5 or analy\$6 or check\$5) with (file or document) with (type or extension or format\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:25
L38	6	37 and (writ\$5 with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:40

L39	3	38 and (receiv\$5 near3 path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:40
L40	2120	(print\$5 with (file or document)) and ((analy\$5 or detect\$5 or discover\$5) with (file or document) with (type or format\$5 or extension))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:42
L41	291	40 and ((compar\$5 or match\$5) with (type or format\$5 or extension) with (file or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:43
L42	11	41 and ((type or format\$5 or extension) with (ready or readily or compatib\$5) with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 16:02
L43	3	42 and (writ\$5 with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 16:03
L44	7	42 and (print\$5 with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 16:03
L45	1	"6606163".pn. and (print\$5 with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 16:06
L46	2	"6606163".pn. and (receiv\$5 with (file or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 16:07
L47	0	"6606163".pn. and (receiv\$5 with (file or document) with name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 16:07
L48	1	"6606163".pn. and ((file or document) with name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 16:08
L49	1	"6606163".pn. and (name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 16:10

L50	0	"6606163".pn. and (extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 16:10
L51	0	"6606163".pn. and (suffix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 16:10
L52	1	"6606163".pn. and (format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 16:10